# **Model 300 Table Sentry**

### Model # SS-300-TS

### **Product Specifications**

#### **BASE UNIT DIMENSIONS**

15.5" Length, *Including Control Box* 13" Width 18.5" Height 1" or 4" Slot Hood

#### **CABINET MATERIAL**

16 ga. carbon steel with polyester epoxy coating on all surfaces

#### WEIGHT

Approx. 40 - 50 lbs.

#### **AIR VOLUME**

Variable Speed Control Standard on 115V 350 CFM High, Down to 50 CFM Low On/Off Toggle Switch Standard on 220V

#### **ELECTRICAL**

115/1/60, 2 amps 220/1/50, 0.75 amps 8' grounded power cord with NEMA 5-15P Plug

#### **SOUND LEVEL**

61 to 66 dba (Blower Speed: Low to High)

#### **FILTRATION**

**Depending on the Application:** 

- HEPA [up to 99.97% efficient on particles 0.3 microns and larger]
- ASHRAE [up to 95% efficient on particles 0.5 microns and larger]
- ACTIVATED CARBON
- SPECIALTY-BLENDED FILTER MEDIA [i.e. Acid Gas, Mercury, Aldehyde, Ammonia]

#### **WARRANTY**

Limited two-year warranty from date of shipment on defects due to materials or workmanship. PATENT #5,843,197

## Product Features

- Variable Speed Controller Included (115V only)
- **Quiet Operation**

speed controller.

- Reliable, Low Maintenance Operation
- **Low Power Consumption**
- Simple, Quick "No Tool" Filter Change
- **Sturdy Construction**

- Long Filter Life
- Optional Magnehelic Gage
- **Optional Hour Counter**

The **Model 300 Table Sentry** is a compact fume extractor that is built specifically for stationary, benchtop operations where airborne fumes need to be captured and filtered at the work surface level. This unit is available with a 1" or 4" source capture slot at the base of the unit and comes equipped with a variable

Typical uses may include solder fume extraction, light grinding, laser fumes, solvent and epoxy fumes, medical sterilization applications, particulate, powder filling, solder pot fumes, and a variety of other applications involving chemical fumes and dust.

This system incorporates a powerful fan and high-quality filtration media to capture and purify harmful airborne contaminants. The most common filter media utilized in this unit are HEPA filtration [up to 99.97% efficient on particles 0.3 microns and larger], ASHRAE filtration [up to 95% efficient on particles 0.5 microns and larger], Activated Carbon, and specialty-blended filtration media [i.e. Acid Gas, Mercury, Aldehyde, Ammonia]. The Table Sentry allows multiple filter media to be housed inside the filter chamber for applications that emit both particulates and fumes.

Sentry Air's **Model 300 Table Sentry** fume extractor can provide an energy-efficient, quiet and economical solution for many commercial, medical, laboratory and industrial applications. This unit is also available in a smaller model [SS-200-TS].



1.800.799.4609 www.sentryair.com sales@sentryair.com





Dimensions are Approximate
Shown with 4" Slot Hood &
Optional Features